Copyright 1979 Eddie Oshins & David McGoveran. Paper presented to Symposium "Psychotherapy, Mind and Brain: Systemic Correlations," Jan. 10, 1960, at 24th Annual North American Meeting of the Society for General Systems Research with the ANAS, San Francisco, Cal. USA, and discussed at Post-Sessions on Jan. 11-12, 1960. Published in the Proceedingst Systems Science and Science, ed. Bela H. Banathy. Reproduced in <u>General Systems Theory and the Psychological Sciences</u>, Vol. 2, First Edition, eds. W. Gray, J. Fidler & J. Battista. Nov 25, 1989 "Meeting, ANDA Wast

... THOUGHTS ABOUT LOGIC ABOUT THOUGHTS ... : THE QUESTION "SCHIZOPHRENIA?"

Edward Oshins and David McGoveran

Copyright @ 1979 Eddie Oshins 2 David Mc Govern Stanford Linear Accelerator Center and Neuropsychology Laboratories, Stanford University, Stanford, Calif; and Alternative Technologies, Boulder Creek, Calif.

ABSTRACT

This paper attempts to provide increased representational power for specialists in order to clarify and laybare pertinent issues regarding the question "Schizophrenia?" A represen-tation of the empirical logic observed in schizophrenic cognition is constructed. Pertinent qualitative aspects of the semi-classical logics of Fuzzy Set Theory and The Laws of Form are briefly reviewed. A synthesis into Quantum Logic is motivated and described with distinguishing features of the improved representation being developed and discussed at an intuitive and conceptual level. We show that the resulting model provides a unified characterization of the phenomenon of schizophrenia em-bodying several "competing" schools of thought (for example, the Von Domarus/ Arieti Principle; the Bateson, et al, Double-Bind Theory; Matte-Blanco's Principle of Symmetry).

I. INTRODUCTION

Body and soul are not two different things, but only two different ways of perceiving the same thing. Similarly, physics and psychology are only different attempts to link our experiences together by way of systematic thought.

A. Einstein (1937)

Questions about schizophrenia have been the subject of considerable controversy (Arieti, 1960, 1967:277, 1974:97-101, 300; Bateson et al., 1956:5-6; Watzlawick, 1963:139; Williams, 1964). The numerous definitions of schizophrenic behavior and the many theories of schizophrenia are often taken as being inequivalent or as being mutually exclusive. It is even asserted by some that schizophrenia is mythology, and a labelling unrelated to any clearly distinguishable phenomenon. Here, we will look at theories of schizophrenia that treat it as a disorder in logic. It is, perhaps, unnecessary to attempt to decide who, amongst the definers and theorists, is right and who is wrong. Indeed, such decisions do not lie within the specific competence of the authors. However, by introducing a formal theory which <u>spans</u> (embodies) the explanations of schizophrenia that have been given, a unified integration of these concepts is possible. We shall present a preliminary attempt at such a logical characterization in this paper.

In the modeling of schizophrenia (Oshins, 1978, 1979) which follows, we use a well-defined methodology (McGoveran, 1979). Section II contains a review of standard models of schizophrenia with associated empirical support for each viewpoint. Formal representations, which we consider relevant to a more general and encompassing model of schizophrenic behavior, are discussed in Section III. These are the semi-classical logics of Fuzzy Set Theory and The Laws of Form, and Quantum Logic. In Section IV, Genuine Stupidity Logic (GSL)¹ is presented in a developmental context as a synthesis of Fuzzy Set Theory and The Laws of Form into Quantum Logic. We demonstrate pertinent conceptual notions of GSL, and show that the models of Section II are spanned by it, through the use of examples and illustrations. We conclude in Section V with a summary of the major points presented in the paper and suggestions toward empirical resolution of the question "Schizophrenia?"

We believe that we have uncovered an empirical criterion for distinguishing the question "Schizophrenia?", whether or not there is such a phenomenon, and a framework for exploring it in this paper. Thus, we hope it will provide motivation and representational tools, for those whose ideas and theories have been addressed, in order to facilitate their working together in a more coherent fashion, treating the process of modeling schizophrenia as a task in which each has a mutually contributing role and not a seemingly contradictory or opposing one.

SECTION II

3

What is schizophrenia? Some suggest that it is merely a label for many kinds of unrelated and abnormal behavior. Others go as far as to assert that such labeling is substantively no more than a socio-political act. While we appreciate the sentiments behind such points of view in this paper, we take the position that schizo-phrenia is a major mental disorder which can be and is routinely (although perhaps not always appropriately) diagnosed. Although one might well be more interested in the etiology of schizophrenia than in a coherent description of the disease symptomology, the latter must precede the former. We shall not emphasize here the question of the intensity of the symptoms nor attempt to define the point at which "deviant" behavior indicates a mental or perceptual disorder. However, an empirically verifiable criterion exploring these issues is offered in Section V. In this

A: All men are mortal.

B: Socrates is a man.

Thus: Socrates is mortal.

vs.

- A: I (the paleologician) am a virgin.
- B: Virgin Mary was a virgin. Thus: I (the paleologician) am the Virgin Mary.

the "schizophrenic thought processes" are characterized by their acceptance of identity on the basis of an identical predicate or part in common. This "identification of predicates" leads to a failure to distinguish the class or aggregate from its parts. In the "normal mode" the notion of class and inclusion of classes is all important.

The Von Domarus principle is a particular kind of syllogism which is considered to be invalid.³ As an example used by Arieti, consider a schizophrenic patient who concludes "She is the Virgin Mary" based upon thinking "The Virgin Mary was a virgin" and "She is a virgin." The argument may be compared to the usual syllogistic reasoning (Mode of Barbara)⁴ which would claim "He is a man; All men are mortal; therefore, He is a mortal." Adapting Von Domarus' pictorial representation to our examples, one would have Figure 1.



The major premise contains the minor. Mode of Barbara



The intersection is the identified predicate virgin. Schizophrenic (paleologic) Cognition

Figure 1: Illustration of "normal" logic vs. Von Domarus logic.

section we examine some descriptive representations (caricaturizations) of schizophrenia in the hope of finding a means of later encompassing all of them within GSL. An unbiased methodology will demand that the formal aspects of the representations addressed here be freed from the interpretations given to them. Before that goal is achieved we will briefly examine three major points of view, presenting some of the evidence for each of them.

Silvano Arieti (1948, 1960, 1967, 1974) has extended and elaborated upon the basic hypothesis of Von Domarus (1944) that schizophrenic behavior is characterized by a specialized way of thinking. Under extreme stress, the schizophrenic regresses to a less advanced level of personality integration which entails the Von Domarus principle². Von Domarus (1944: 111) or Arieti (1967:108-112, 274-277) might have drawn the following distinction between "normal thinking" and "schizophrenic thinking" thus: Whereas "normal thought processes" accept <u>identity</u> only on the basis of identical subjects or wholes,

Bateson, et al. (1956), among others, (Haley, 1963; Watzlawick, et al., 1967, 1974; Sluzki & Ransom, 1976), pioneered a "competing" school of thought on the nature of schizophrenia, which suggests that irresolvable sequences of experiences (referred to as "double-binds") are responsible for the inner conflicts of logical typing in schizophrenia. The double bind is essentially a "lose-lose" situation. There are punishments for both accurate and inaccurate discriminations of self-invalidating behavior which is incongruent between different levels of logical abstraction or aggregation. A "choice" is posed to the "victim" which is no choice and the victim must choose. The victim must be so dependent upon the person or situation posing the double bind that he can neither ignore nor fail to respond to the injunction. (This generally involves questions of power and the survival of physical or personal integrity.) Consider, as an example, the following interaction described by Laing (1965:205):

MOTHER: I don't blame you for talking that way. I know you don't really mean it.

DAUGHTER: But I do mean it. MOTHER: Now, dear, I know you don't. You can't help yourself.

DAUGHTER: I can help myself. MOTHER: No, dear, I know you can't because you're ill. If I though for a moment you weren't ill, I would be furious with you.

To obey is to disobey---to disobey is to obey. No matter what the response, the child must lose in this paradoxical situation⁵. According to Bateson, et al., the schizophrenic comes to expect double binds and to see the world in terms of them as a means of coping. Feeling continually threatened, the schizophrenic comes, not to demy what he says, but to "deny it in such a way that his denial is denied" (Haley, 1963:92). He engages in "flip-flop" behaviors, choosing first one side of the paradox and then the other, thereby abdicating responsibility for either.

Matte Blanco (1959a, 1959b, 1975) postulates that schizophrenic behavior follows laws of a logic which are different from Aristotelian logic. There are two basic axioms to his characterization of the unconscious (system Ucs) of which, he asserts, that schizophrenic thinking is only an application: (1) the principle of generalization, and (2) the principle of symmetry. According to the principle of generalization, all things are members of classes and every class is a subclass of a still more general class. This results in a hierarchy of classes. The principle of symmetry implies that all relations are symmetrical; thus, the converse of an assymetric relation would be treated as equivalent to that relation. The notion of equivalence is derived from that of a symmetrical relation, as distinguished from that of equality which is derived from an assymetrical relation. Confused use of these terms through the principle of symmetry results in the inability to maintain consistent hierarchical ordering. In the words of Miller, et al. (1960), "A plan is any hierarchical process in the organism that can control the order in which a sequence of operations is to be performed." Thus, application of the principle of symmetry results in a diminished ability to plan and a corresponding loss of control.

These principles are interspersed with normal manifestations, necessitating a sort of "double-bookkeeping" by the schizophrenic patient. Matte Blanco (1959b:93) concludes that for the schizophrenic, as a result of such thinking: (1) there is no succession and, thus, no time; (2) the part is identical to the whole; (3) the members of the class are identical; (4) there is no contiguity and no space, as we know it, due to lack of spacial ordering (in particular, Matte Blanco, 1975:13), "...the unconscious does not know 'inside' or 'outside' and does not know objects."); and (5) a statement is equal to its converse. For example (Matte Blanco, 1975: 39) consider the patient who employs the relation "the body is part of the arm as though identical to its converse relation "the arm is part of the body" in reaching conclusions.

There are numerous disagreements and discussions in the literature concerning which of these models is the correct representation of schizophrenic behavior. We suggest that each is essentially correct and can be viewed in terms of a single model.

SECTION III

In this section we will describe the essentials of three formalisms which are relevant to the development of a more encompassing model of schizophrenic behavior. Each of these formalisms are presented as a variant logic, although it should be noted that there are equivalent representations in lattice theory, group theory, algebra, and geometry. In general, a logical calculus consists of a set of symbols representing propositions, one or more operations, and the laws which the logic obeys. The usual symbolic logic consists of propositions; the operations of negation, conjunction, and disjunction; identity, idempotency, and the laws of associativity, commutivity, and distributivity. In addition to these laws, there is a truth valuation function, which assigns to any proposition the values 0 or 1, depending on whether that proposition is invalid or valid, respectively. We wish to emphasize that the usual symbolic logic is only one example of a logical calculus. We shall consider others.

Zadeh (1965) has introduced the concept of propositions which have a degree of truth instead of being either valid or invalid. Thus, the truth valuation function is usually given as a closed, real line interval with the endpoints labeled as 0 and 1, corresponding to the classical states of absolute invalidity (the absurd proposition) and of absolute validity (the trivial proposition). In the special case, where the truth valuation function is restricted to the endpoints of the interval, the fuzzy logic goes over to the usual Aristotelian logic. The operators of negation, conjunction, and disjunction, are also defined such that the correspond-ing Aristotelian limits result. In addition, it is necessary that these operations leave the structure or topology of the interval intact. Thus, they are

closed on the open interval (0,1). If the proposition "A and B" is formed from the propositions "A" and "B", the valuation of the compound proposition will be the smaller of the two valuations. Simi-larly, the disjunction proposition "A or B" is evaluated as the larger of the two. A negation is defined to complement any proposition "A" and denoted "AL" such that the sum of the lengths of the two valuations yields the identity valuation of absolute validity. There will exist a unique point, called the hindge or halfway point, such that: (1) the conjunctive valuation of a proposition and its corresponding negation will always be smaller than the hindge, or "not true-directed"; the disjunctive valuation of a pro-(2) position or its corresponding negation will always be larger than the hindge, or "true-directed"; (3) if a proposition has a valuation on one side of the hindge, the corresponding negation is valuated at a point located symmetrically about the hindge; and (4) the valuation of the hindge and the valuation of its negation are both equal to 1/2, having their common length precisely mid-way between the 0 length of absolute invalidity and the unit length of absolute validity. In this sense, the upper (true-directed) and the lower (not true-directed) regions are qualitatively different and thus separable. A direction of meaning is thus posited, ordering the logic (Orlov,--).

Consider the statements "Tom likes Jane very much" and "Tom likes Jane very, very much." If the validity of the first statement is 7/10, that of the second might be 8/10. The corresponding negations would then have values of 3/10 and 2/10, respectively. The two statements are thus ordered with respect to each other, and the aggregation of truth values of all statements involving "like" thus form a <u>linear ordered set</u> (Stoll, 1961:49-50) with valuations as real numbers such that their truth valuations are always comparable, ordered lengths.



Figure 2: Length of valuation of different fuzzy hedges or qualifiers of the proposition "Tom likes Jane."

Brown (1972) chose to extend the usual truth valuation in a different way. Dealing with paradoxical propositions (Brown, 1972:x-xi), such as "This statement is false", he likens it to the following equation:

$$X = \frac{-1}{X}$$

where the values 1 and -1 represent true and false, respectively. In this equation the choice of either 1 or -1 for X on one side of the equation leads to the opposite value on the other side of the equation thus the perceived truth valuation oscillates in time. If this equation were solved mathematically, the solution would be

 $x = \frac{4}{3} \sqrt{-1} = \frac{4}{3}i$, where "i" represents an "imaginary" unit number (Walker, 1963:29-33). Brown's formalism is characterized by a single definition of distinction and two axioms or laws.

Birkoff and von Neumann (1936) introduced another variation of the standard logic. Unlike the preceding two logics, the quantum logic, which was formulated to expose the logical foundations of the (then) new quantum theory, brought about a denial of the validity of the distributive law (cf. Appendix).

Without entertaining too much of the details of the quantum logic (Finkelstein, 1963, 1968a, 1968b; Jauch, 1968; Putnam, 1968; Von Neumann, 1955:247-254), we will point out some of the essential consequences of this logic. The logic all proposidoes not treat all concepts, tions as compatible. Thus the order of concepts in a proposition is important. This means that the concepts are coupled in some way. Consider, for example, the propositions "Do you like me?" and "Do you love me?" The order in which one asks these questions and experiences the situational frame will often change the answers one gets, since one response can restrict the availability of possible answers to the other. Each imparts a certain psycho-logical set to the individual being questioned. "Love" and "like" are incompatible in this sense. William James noted this complementarity of psychological concepts as early as 1890 (Holton, 1973:140-142). Although quantum logic was introduced to account for the logic of empirical quantum mechanics, it is applicable in some form to many empirical systems.

SECTION IV

In this section we present a representation or formalism which encompasses the essential aspects of the formalisms reviewed in the previous section. Although our application and results may be new, this is essentially not a new formalism, and we attempt to draw upon historical use of the formalism for clarity. The formalism is then partially interpreted to yield a model of some aspects of schizophrenia, with the hope that a complete model is inherent within the GSL formalism.

4

In particular, we interpret GSL insofar as it is relevant to a synthesis of the models presented in Section II.

Consider the incomplete progression of classical (Aristotelian) logic through the deviant logics of fuzzy set theory, laws of form, and quantum logic. Classical logic starts with a two-valued truth set which fuzzy logic extends to a lineinterval with the two values of classical logic as end points. The laws of form incorporates paradoxical statements by allowing a four-valued truth set and quantum logic treats the two-valued truth set via different laws of aggregation (See Figure 3).



Figure 3: Classical and semi-classical logics.

We seek a coherent unification of this progression. First consider the equation of paradox introduced by Brown (which led to the introduction of i as an additional truth value) in the light of fuzzy logic. Let us perform a one-to-one substitution by using the real line interval (-1, 1) instead of the usual (0,1). In this way, the endpoints correspond to the two real truth values given by Brown. The point zero on this new interval corresponds to the fuzzy logic hindge (1/2). We then treat the equation of paradox as though it were a matrix equation.⁶

$$X^2 = -1$$

In this way the solutions of the equation become so-called "eigenvalues" or characteristic values and represent the observable quantities of the system. According to Brown these values are 1, -1, and i." However, it is easy to show that the existence of an eigenvalue i implies the existence of an eigenvalue -i (Goldstein, 1950: 123). In this way we are led to a more comprehensive interpretation of the paradox. This formalism is also consistent with quantum logic. Order dependence is a well-known property of matrix operations. Empirically this implies an incompatibibility of the observables which the noncommuting matrices represent.

The matrix formulation is extremely useful in exploring the various properties of this representation. The truth tables for the logic operations of conjunction and disjunction, etc., may be treated as 2 x 2 matrices. Solving Brown's ansatz by means of 2 x 2 matrices leads to three possible solutions, each of which is empirically interesting. The first solution is just the <u>identity</u> multiplied by +i. The second solution is more interesting. This is just Hamilton's quaternions. Pure quaternions are effectively three dimen-

sional rotations with the properties of i; that is, they generate a rotation resultto the initial state which is orthogonal to the initial state (Walker, 1963; Misner, et al., 1970;1135-1141)⁸ Pauli introduced something akin to the quaternions in matrix form. In this form they are referred to as spin matrices or bi-spinors. Bispinors can be thought of as operators on a space or state expressed as a spinor. Spinors are unobservable but necessary parts of the formalism of quantum mechanics.of quantum mechanics. (They underlie the Pauli Exclusion Principle which gives rise to matter's chemical structure). This formalism allows us to represent an observation as a real magnitude and its negation as an imaginary magnitude, each at right angles to the other (i.e. orthogonal).



Figure 4: Real and imaginary truth.

The third solution is the so-called

Time-Reversal Operator (Wigner, 1959). The Time-Reversal Operator is a special reflection which includes complex conjugation (i.e. it is antilinear). By time we mean that which parameterizes and defines an ordering of the causal structure. The formalism presented so far is thus rich and allows full interpretation in terms of a variation of the usual Aristotelian logic.

Consider as a partial interpretation of the formalism its correspondence to the notion of concepts. Following Brown we treat the process of distinctions as fundamental to concept formation. That is, a concept is formed in distinction to those things which it is not. The concept of "like", for example, may be used only by distinguishing things "liked" from things "not liked." For each such instance, the degree to which the thing is distinguished as "liked" is represented by a length which is a portion of the line segment with endpoints 1 and 0. (This can be obtained from Brown by returning the hindge (cf. fuzzy sets) to 1/2 and normalization). The total length of the seg-ment must be conserved. We say that the portion not distinguished represents the complement -- that which is "not liked." This portion of the segment becomes orthogonal and thus bent by 90 degrees with respect to the distinguished part. Specific examples may be ordered with respect to each other. (Figure 5a):



Figure 5: Ordered aggregation: (a) without phase; (b) with phase, as in Figure 6.

The aggregate of all things liked in this sense forms what we mean by the concept of "like." The process of non-distinguished or non-discriminated aggregation introduces a random relative phase between the specific distinguished members of the aggregate. The direction of the phase encodes the direction of meaning. This means that the parts not distinguished are unobservable in the aggregate. Thus each member of the aggregate is equivalent to a spinor. We postulate that concepts behave as spinors (Figure 6):



Figure 6: Alternative phase directions.

The time-reversal operator, as we stated earlier, implice the relative order reversal of the logical implication. This notion has direct consequences with regard to the Von Domarus principle. Consider a so-called Hasse diagram (Lieber & Lieber, 1959) of the propositions "I am a virgin" and The Virgin Mary is a virgin." (Figure 7):



Figure 7: Hasse diagram.

The structure of the diagram is interpreted by saying that elements below and connected imply everything above. Thus the existence of "I" and of "Virgin Mary" imply the existence of "Virgins." The time reversal operator indicates that the direction of implication will be flipped. (Figure 8):



Figure 8: Implication reversal.

Thus, under the operation of the timereversal operator, both "I" and "Virgin Mary" imply "Virgin" at the class membership level of abstraction. This solution to the paradox can only occur if the nondistinguished aggregate (the span⁹ which is a higher level of abstraction) is formed inappropriately, namely, if the span is formed from members of classes and from classes without regard for the difference. Normally, the difference between a class and its member is a strong injunction against such an inappropriate span. Two concepts are at the same level of hierarchical distinction only if either, but not both, could answer a question. In short, the assymmetric implication is treated as a symmetric relation and the causal direction is not discriminated. (Figure 9):



Figure 9: Hierarchical aggregation.

If we consider this interpretation from an experiential point of view, we are led to a description of the double bind. The paradox matrix equation has two states in a complex space as solutions. These solutions are conjugates or complex complements of each other, (e.g. z and z_). (Figure 10):





Paradoxical states result in concepts being treated as real instead of complex. But this is inappropriate since the cor rect solution to the paradox is in complex space. A non-distinguished state such as "Virgin" is forcibly selected, reducing the class to an unspecified member. Being forced to choose between z and z_ and yet being in a state which is neither, z and z_ are chosen with equal probability. (Figure 11):



Figure 11: Reducing the class to the member. (This corresponds to equating a plane with a line.)

6

The true actual experience is a third state, which must exist if no distinction is drawn between z and z_{\perp} , having a component in either but lying along neither. There is a feeling of being torn between two choices neither of which is compatible. In this flip-flop condition, there is no net causal ordering, an effect noted by Matte-Blanco.

V. CONCLUSIONS

The model presented in the previous section contains the essential aspects of the theories of schizophrenic logic presented by Von Domarus/Arieti, Bateson et al., and Matte-Blanco. The reversal of the implication relation is capable of yielding the identification of predicates in the Von Domarus principle as well as the loss of both spatial and temporal ordering. GSL connects the occurrence of the behavior observed by both Von Domarus and Matte-Blanco with the occurrence of a paradox or Double Bind. Thus the theories of Section II are seen not as competing schools of thought but as different views of the same process.

The formalism is not completely interpreted. There is, for instance, reason to believe that the difficulty reported by schizophrenics is directly attributable to a neural disorder--possibly a sensory or perceptual problem. Such might occur through an inappropriately functioning mechanism for encoding, decoding, or filtering neural phase ordering information. This could be responsible for the inability to form a hierarchical plan. Further interpretation will come with a more complete representation and with the interest of those familiar with the intricate behavior of schizophrenics. In this endeavor, we suspect that the phenomeno-logically distinguishable characteristics of antilinearity (Wigner, 1960) will eventually offer important empirical clarification and understanding of the question "Schizophrenia?"

Acknowledgements: Many people have helped to make Genuine Stupidity Logic possible. A partial list of the people who have made extensive contributions includes: Marvin Adelson, Claude Anderson, Hewitt Crane, Sidney Drell, David Finkelstein, Pierre Noyes, Karl Pribram, Lynn Segal, Richard Steiger, John Weakland, Michael Williams.

FOOTNOTES

 GSL is proposed as an empirical logic of natural mind.

 Arieti (1974: 234) states, "The whole field of Freudian symbolism from a formal point of view is based on Von Domarus' principle." 3. We note that the syllogism is considered to be associated with early developmental thought processes both phylogenically and in young children, and as a relatively common unconscious error in "normal" thinking.

4. It was pointed out to one of the authors by Marvin'Adelson that the Mode of Barbara probably derives from the following mneumonic: "B/are/bar/A" = "Bar/B/are/ A", where "bar", sic. "-", traditionally represents negation. We, thereby, have an encodement of our notion of logical disjointedness which provides an attractive means for expressing the related and relevant notions of compatibility and the distributive law of logic. This is discussed in Jauch (1968: 28).

5. The double bind is closely related to hypnosis except in the latter we can conceive of it as a "win-win" situation. The hypnotist might suggest something like: "Would you like to go into a trance now by raising your left hand, or later when you stand up." Indeed, the double bind hypothesis is an outgrowth of attempting to understand and represent the hypnotic and therapeutic strategies of Milton Erickson (Haley, 1973, 1963).

6. In Heisenberg's formulation of Quantum Mechanics he "just" took observables and transitions and recast them into matrices. As expressed by Born (van der Waerden, 1967: 37) "... And one morning... I suddenly saw light: Heisenberg's symbolic multiplication was nothing but the matrix calculus, well known to me since my student days... I recognized at once its formal significance. It meant that the two matrix products pq and qp are not identical... that matrix multiplication is not commutative..." From which one grasps the fundamental significance of the indeterminacy principle.

7. Actually, Brown does observe that there are two imaginary roots, but does not fully exploit this differentiation. Empirically, the sign of i specifies the temporal ordering and i posits a temporal superselection rule, which appears to be violated in the formulations of schizophrenia.

8. The work of Cooper and Shepard (1978) and Shepard (1979) indicates that internal representations are mentally rotated in order to form comparisons. In our formulation, although we are using a complex or Hilbert Space and rotations are called unitary transformations. The complex formulation allows us to use the more fundamental, simply connected, covering group SU(2,C) instead of the traditional orthogonal rotation group O(3,R).

 In quantum mechanics one treats distinguished observations logically dif-

7

ferently than non-distinguished ones (Peynman, 1963:Ch. I; Putnam, 1968; Finkelstein, 1963, 1968a, 1968b).

10. What we mean by empirical truth is quite specific: (1) we agree upon a col-lection of questions; (2) we agree upon criteria by which observations pass the test of the questions; and (3) we ask the questions of the observation set. Empirical truth is distinguished by whether or not the answers satisfy the agree upon criteria.

REFERENCES

Arieti, S. 1948

- "Special Logic of Schizophrenia and Other Types of Autistic Thought." Psychiatry 11: 325-338.
- "Recent Conceptions and Misconcep-1960 tions of Schizophrenia." American Journal of Psychotherapy 14: 1-29.
- The Intrapsychic Self: Feeling, Cognition and Creativity in Health and Mental Illness, New York: 1967 Basic Books.
- Interpretation of Schizophrenia, 1974 New York: Basic Books.
- Bateson, G., Jackson, D.D., Haley, J., and Weaklund, J. 956 "Towards a Theory of Schizophren-1956
 - ia." Behavioral Sciences 1: 251-264.
- Birkoff, G. and von Neumann, J. "The Logic of Quantum Mechanics." 1936 Annals of Mathematics 37: 823-843.
- Brown, G.S. 1972 Laws of Form, New York: Julian Press.
- Finkelstein, D.
 - "The Logic of Quantum Physics." 1963 paper presented at a meeting of The Section of Physical Sciences, 20, March 1963. Published in the Transactions of New York Academy of Sciences, pp 621-637.
 - 1968a "Matter, Space, and Logic." Boston Studies in the Philosophy of Science 5: 199-215.
 - 1968b "The Physics of Logic." IC/68/35 CERN, 30 pp.

- Feynman, R.P. 1962 Theory of Fundamental Processes, New York: W.A. Benjamin.
- Feynman, R.P., Leighton, R.B., and Sands,M. 1963 Feynman Lectures on Physics, III, Reading, Mass.: Addison-Wesley.

- Goldstein, H. 1950 Classical Mechanics, Reading, Mass: Addison-Wesley.
- Haley, J. Strategies of Pscho Therapy, New York: Grune & Stratton, Inc. 1963
 - 1973 Uncommon Therapy: The Psychiatric Techniques of Milton H. Erickson, M.D., New York: W.W. Norton & Co.
- Holton, G. Thematic Origins of Scientific Thought: Kepler to Einstein, Cambridge: Harvard University Press 1973
- Jauch, J.M. 1968 Foundations of Quantum Mechanics, Reading, Mass.: Addison-Wesley
- Laing, R.D. 1965
 - "Mystification, Confusion, and Conflict." In C.E. Sluzki and D.C. Ransom (eds.), Double Bind: The Foundation of the Communicational Approach to the Family. New York: Grune & Stratton.
- Lieber, L.R. and Lieber, H.G. 1959 Lattice Theory: The Atomic Age in Mathematics, Brooklyn, New York: Galois Institute of Mathematics and Art.
- Matte Blanco, I. 1959a "Expréssion in Symbolic Logic of the Characteristics of the System Unc. or the Logic of the System Unc." International Journal of Psychoanalysis XL: 1-5.
 - 1959b "A Study of Schizophrenic Thinking: Its Expression in Terms of Symb-olic Logic and its Representation in Terms of Multi-dimensional Space." International Journal of Psychiatry 1: 91-96.
 - The Unconscious as Infinite Sets: An Essay in Bi-Logic, Great Britain: Duckworth, Ltd. 1975
- McGoveran, D. 1979 Methodologies in Multidisciplinary Modeling, unpublished,
- Miller, G.A., Galanter, E. and Pribram, К.Н.
 - Plans and the Structure of Behavior, New York: Holt, Rine-hart & Winston. 1960
- Misner, C.W., Thorne, K.S. and Wheeley, J.A. 1970 Gravitation, San Francisco: W.H. Freeman & Co.
- Orlov, Y.F. "Group Theoretic Approach to Logic: The Wave Logic, I." unpublished

manuscript, Acad. Sci. Armen. Sov. Soc. Repub ..

- Oshins, E. 1978-
 - 1979 Series of seminars at Stanford University and SRI International.
- Putnam, H.
- "Is Logic Empirical." Boston 1968 Studies in the Philosophy of Science 5: 216-241.
- Shepard, R.N. 1979 "Psychophysical Complementarity," preprint - to appear in M. Kubovy and J.R. Pomerantz (eds.), Perceptual Organization, Hillsdale, N.J.: Lawrence Erlbaum Associates.
- Shepard, R.N. and Cooper, L.A. 1976 "Transformations on Representations of Objects in Space." CHIP Report No. 59. To appear in E.C. Carterette and M. Friedman (eds.), Handbook of Perception. Vol. VIII, Space and Object Perception, New York: Academic Press.
- Sluzki, C.E. and Ransom, D.C. (eds.) Double Bind: The Foundations of 1976 the Communicational Approach to the Family, New York: Grune & Stratton.
- Stoll, R.R. Sets, Logic and Axiomatic Theories, San Francisco: W.H. Freeman & Co. 1961
- van der Waerden, B.L. 1967 Sources of Quantum Mechanics, New York: Dover Press.

- Von Domarus, E. 1944 "The Specific Laws of Logic in Schizophrenia." In J.S. Kasamin (ed.), Language and Thought in Schizophrenia: Collected Papers Berkeley: University of California Press.
- Von Neumann, J. Mathematical Foundations of 1955 Quantum Mechanics, Princeton: Princeton University Press.
- Walker, "Science and Mathematics." 1963 In The Nature of Scientific Thought Englewood Cliffs, N.J.: Prentice-Hall.
- Watzlawick, P. 1963 "A Review of the Double Bind Theory." Family Process 2: 132-153.
- , Beavin, J.H., and Jackson, D.D. 1967 Pragmatics of W Pragmatics of Human Communication: A Study of Interactional Patterns, Pathologies, and Paradoxes. New York: W.W. Norton.

- Weakland, J. and Fisch, R. 1974 Change, Principles of Problem Formulation and Problem Resolution, New York: W.W. Norton.
- Wigner, E.P. 1959 Group Theory, New York: Academic Press.
 - 1960 "Phenomenological Distinction between Unitary and Antiunitary Symmetry Operators." Journal of Mathematical Physics 1: 414-416.
- Williams, E.B. 1964 "Deductive Reasoning in Schizophrenia." Journal of Abnormal and Social Psychology 69: 47-61.
- Zadeh, L. "Fuzzy Sets." 1965 Information Control 8: 338-353.

APPENDIX:

The Stern-Gerlach Experiment and the Fracture of Classical Logic

APPENDIX

The Stern-Gerlach Experiment and the Fracture of Classical Logic

In the early part of the century, an experiment was performed by Stern and Gerlach in which a beam of sliver atoms carrying the spin of a single electron is passed through an inhomogeneous magnetic field with gradient. This experiment is sufficient to derive the transformation properties of 1/2-integral spin matter, such as electrons and nucleons (Feynman, Feynman et al., 1963:Ch.1-5). The 1962; beam is split into precisely two separate beams which are either in the direction of the gradient of the magnetic field or opposed to it. (This is not a statistical effect and can be done one atom at a time.)



Figure 12: Stern Gerlach Magnet separating the beam into two beams.

If the initial beam was alined, say, vertically, we could call the beams Up and Down. If we should select out Up and sub-ject this known beam to a second Stern-Gerlach apparatus which has its gradient alined horizontally, thereby allowing only a <u>Right</u> or <u>Left</u> determination, it is <u>empirical truth</u>¹⁰ (always the observed case) that:

1.0

	Manual Area and the LAND
man 1 4 1 4 1 4 1 4 7	S'SMART
Same 5 offerer	Server 1 49 House (Bo Do)
Barry Bris Doub?	

(1) Up is true, and Up is true.

		i.	Ar 6.1	- Royat	And the Party Contract of the Party
지문		-	S PLANET	-	T Sara Rice Anton
(2)	Up	is	true,	and	(Right or Left)

is true.

It is empirically false that:

	What Rus 522 Rant?	NATE THE \$403 1007
UF.	EG Ment	SETWAT ATUR
	Part pro	Denn?

(3) Up is true and Right is true.

	when the set han?	North Mar BASE UP !
2.8	Sú Planat	SGHwatt agen
	ENT MIL BRE LEFT?	Sicure Hut Driver

(4) Up is true and Left is true.

The distributive law of classical logic asserts that it is always true that <u>A</u> and (<u>B</u> or <u>C</u>) = (A and B) or (A and C).

Upon substituting the empirical data we find (with obvious abbreviations)

We are forced to conclude from the "nonclassical two-valuedness" that the <u>distri-</u> <u>butive law</u> of classical logic is empirical-<u>ly violated</u>. It is replaced by the <u>princi-</u> <u>ple of complementarity</u>: If two constructs are not-distinguished, there will always be a third within the span such that nondistinguished aggregates of any pair will be equal to the span (Finkelstein, 1963, 1968a, 1968b).

Senior Author's Address: Edward Oshins Bin 81, Theory Group, SLAC Stanford, California 94305

BIOGRAPHY

Edward Oshins B.A. Physics (Reed), M.A. Physics (Yeshiva), M.S. Urban and Policy Sciences (Stony Brook). Currently guest scientist, Stanford Linear Accelerator Center and Neuropsychology Laboratory, Stanford University.

David McGoveran

A.B. Physics (U. Chicago). Currently President of Alternative Technologies; data processing instructor, Condie College; electrical engineering instructor, Professional Engineering Institute.

ERRATA to "... THOUGHTS ABOUT LOGIC ABOUT THOUGHTS...: THE QUESTION "SCHIZOPHRENIA?"*

by

Eddie Oshins and David McGoveran

Figure 2 is a bit misleading. It is intended to illustrate that "Fuzzy" treats <u>antisymmetric relationships</u>, such as "True" vs. "False", as though they were <u>symmetric relationships</u> such as "like" vs. "not-like". Such treatment degrades the hierarchical structure to the ordering relation. [We note that this type of degradation is the very phenomena attributed to schizophrenic thought by Matte-Blanco, as cited in our paper]

Actually, "Fuzzy" is a misnomer in that it can be realized as a <u>cummulative</u> spectral measure, by Gleason's Theorem [J. of Rat. Mech. and Analysis, 6, 885, (1957)]. This allows one to "clarify" or decompose "Fuzzy" into non-overlapping projection operators, all of which are comparable and compatible. A way of understanding the difference between "Fuzzy" and "Quantum" is that the former "superimposes" and "equivocates" antisymmetry whereas the later does this to symmetric constructs through weakening the "Distributive Law." Indeed, we believe that the interpretation being put forth about "Fuzzy" is in conflict with its formal structure and hope to write a paper elaborating on this in the future. More formally, "Fuzzy" can be realized as a direct sum of idempotents within a density matrix formalism and is thus subject to continuous "superselection rules", disallowing the linear superposition, equivalence classes, and selection rules of quantum logic. This is because it is a distributive lonic.

We also note that, to our interpretation of the <u>Laws of</u> <u>Form</u>, Brown's two axioms [The Law of Calling and The Law of Crossing] would correspond to the definition of <u>a</u> projection operator and its ortho-complement. From a "Quantum Logic" point of view to "recross" is not the same as to have not crossed at all, which is assumed by Brown. If one does <u>not</u> recross the boundary <u>in a colinear direction</u>, one can generate a rotation of the projector into a new and fundamentally different projector. A quantum resolution of "This statement is False." is that it is non-distributive and can be realized as an irreducible "spinor." [Cf. also, Drlov, Y., "The Wave Logic of Consciousness: A Hypothesis," <u>International Journal of Theoretical Physics</u>, vol. 21, no. 1, 1982, pp. 37-53].

*

Paper presented to Symposium "Psychotherapy, Mind and Brain: Systemic Correlations," Jan. 10, 1980, SGSR & AAAS and Discussed at Post-Sessions Jan. 11-12, 1980. Published in Proceedings: System Science and Science, ed. Bela H. Banathy. Reproduced in General Systems Theory and the Psychological Sciences, Vol. 2, First Edition, eds. W. Gray, J. Fidler and J. Battista.